



- N A T U R A L C O L L E C T I O N -

2020 - 2021

BLISS NATURAL COLLECTION - CONTENTS

AEGEAN LIMESTONE

ARLINGTON	Page 04
ARUNDEL	Page 05
ASCOT	Page 06
BAVERSTOCK	Page 07
BECKFORD	Page 08
BLENHEIM 54	Page 09
BLENHEIM 60	Page 10
BOLECTION	Page 11
BOLECTION WITH SHELF	Page 12
EDWARDIAN CORBEL	Page 13
EPSOM	Page 14
EQUINOX BOLECTION	Page 15
NEWSTEAD	Page 16
REGENCY	Page 17
SHELBY	Page 18
SOLSTICE BECKFORD	Page 19
VICTORIAN CLASSIC	Page 20
VICTORIAN CORBEL	Page 21

PORTUGUESE LIMESTONE

ABINGDON	Page 22
BECKFORD	Page 23
COMPTON	Page 24
GALILEO	Page 25
LANGFORD	Page 26
LUDLOW 54	Page 27
LUDLOW 63	Page 28
PRINCETON	Page 29
SOLSTICE BECKFORD	Page 30
RUFFORD	Page 31

CHAMOT LIMESTONE

VICTORIAN CLASSIC	Page 32
WARWICK	Page 33
WINDSOR	Page 34

SANDSTONE

BOSCOMBE	Page 35
NEWSTEAD	Page 36
SHELBY	Page 37

NATURAL MARBLE

BOLECTION	Page 38
VICTORIAN CLASSIC	Page 39
VICTORIAN CORBEL	Page 40

NATURAL OAK

BEDFORD	Page 41
LINCOLN	Page 42

TECHNICAL

HOBBS, FASCIAS & ARCHES	Pages 43-46
FIREBASKETS & CHAMBERS	Pages 47-48
GAS & ELECTRIC FIRES	Pages 49-51
MULTIFUEL STOVES	Pages 52-53
CASSETTE STOVES	Page 54
DIMENSIONS	Pages 56-60



ARLINGTON AEGEAN LIMESTONE



MANTEL

Arlington in Aegean Limestone

INTERIOR

Black Victoria cast iron arch

FIRE

Bespoke coal effect gas fire

HEARTH

Honed Black Granite



ARUNDEL AEGEAN LIMESTONE



MANTEL

Arundel in Aegean Limestone

INTERIOR

Highlight Wandsworth cast iron arch

FIRE

Decorative gas fire

HEARTH

Honed Black Granite



ASCOT AEGEAN LIMESTONE



MANTEL

57" Ascot in Aegean Limestone
(Also available in 54")

CHAMBER


Rusty Slate tile

FIRE

Columbia gas stove

HEARTH & SLIPS

Aegean Limestone



BAVERSTOCK AEGEAN LIMESTONE



MANTEL

Baverstock in Aegean Limestone

INTERIOR


Black Wandsworth cast iron arch

FIRE

Open log fire

HEARTH

Aegean Limestone



BECKFORD AEGEAN LIMESTONE



MANTEL

Beckford in Aegean Limestone

CHAMBER


Oyster Slate tile

FIRE

Columbia gas stove (Balanced Flue version)

HEARTH & SLIPS

Aegean Limestone



54" BLENHEIM AEGEAN LIMESTONE



MANTEL

54" Blenheim in Aegean Limestone

INTERIOR


Polished Black Granite

FIRE

Brooklyn electric fire with Polished Steel Contrast frame and Bauhaus fret

HEARTH

Polished Black Granite



60" BLENHEIM AEGEAN LIMESTONE



MANTEL

60" Blenheim in Aegean Limestone

INTERIOR & CHAMBER


Brushed Steel Shaffesbury fascia with
Smooth Buff brick

BASKET

18" Cromwell

HEARTH

Honed & oiled Slate



BOLECTION AEGEAN LIMESTONE



MANTEL

Bolection in Aegean Limestone

INTERIOR


Salisbury hob grate

FIRE

Open log fire

HEARTH

Aegean Limestone



BOLECTION WITH SHELF AEGEAN LIMESTONE



MANTEL

Bolection with shelf in Aegean Limestone

CHAMBER


Charcoal slate tile

BASKET

Polished Queen Anne with brass legs

HEARTH & SLIPS

Aegean Limestone



EDWARDIAN CORBEL AEGEAN LIMESTONE



MANTEL

Edwardian Corbel in Aegean Limestone

CHAMBER


Old Red Stock brick

FIRE

Staten electric stove

HEARTH & SLIPS

Aegean Limestone





MANTEL

Epsom in Aegean Limestone

CHAMBER


Honed Black Granite Slips

BASKET

Solstice electric fire

HEARTH & SLIPS

Honed Black Granite



EQUINOX BOLECTION AEGEAN LIMESTONE




FIREPLACE

Equinox Bolection in Aegean Limestone

FIRE

Equinox electric fire



NEWSTEAD AEGEAN LIMESTONE



MANTEL

Newstead in Aegean Limestone

INTERIOR


Aegean Limestone Slips

FIRE

Regulus gas fire with Brushed Steel Trim and Polished Fret

HEARTH

Aegean Limestone



REGENCY AEGEAN LIMESTONE



MANTEL

Regency in Aegan Limestone

INTERIOR


Georgian hob grate

FIRE

Open log fire

HEARTH

Honed and oiled Slate



SHELBY AEGEAN LIMESTONE



MANTEL

51" Shelby in Aegean Limestone
(Also available in 54")

INTERIOR


Flamed Grey Granite slips

FIRE

Ariel 5G multifuel stove

HEARTH

Flamed Grey Granite



SOLSTICE BECKFORD AEGEAN LIMESTONE




FIREPLACE

Solstice Beckford in Aegan Limestone

FIRE

Solstice electric fire



VICTORIAN CLASSIC AEGEAN LIMESTONE



MANTEL

54" Victorian Classic in Aegean Limestone
(Also available in 42", 51", 56" & 60")

INTERIOR


Highlight Victoria cast iron arch

FIRE

Bespoke coal effect gas fire

HEARTH

Polished Black Granite



VICTORIAN CORBEL AEGEAN LIMESTONE



MANTEL

Victorian Corbel in Aegan Limestone

CHAMBER


Brickyard Reclaimed brick

BASKET

18" Valencia with back & decorative gas fire

HEARTH & SLIPS

Aegean Limestone



ABINGDON PORTUGUESE LIMESTONE



FIREPLACE



Abingdon in Veined Limestone

CHAMBER

Reeded fireboard

FIRE

FDC 4 multifuel stove



BECKFORD PORTUGUESE LIMESTONE



MANTEL

Beckford in Veined Limestone

CHAMBER


Reeded Limestone

FIRE

FDC 4 multifuel stove

HEARTH

Honed Black Granite



COMPTON PORTUGUESE LIMESTONE




FIREPLACE

Compton in Veined Limestone
(Also available in Alpine White and Acapulco)

FIRE

Brooklyn electric fire with Brass Contrast fascia



GALILEO PORTUGUESE LIMESTONE




FIREPLACE

Galileo in Rosal Limestone

FIRE

Flamerite Gotham 600 electric fire



LANGFORD PORTUGUESE LIMESTONE



FIREPLACE


60" Langford in Veined Limestone
(Also available in 48" & 54")

CHAMBER

Reeded fireboard

FIRE

FDC 5 Wide multifuel stove



54" LUDLOW PORTUGUESE LIMESTONE




FIREPLACE

54" Ludlow in Veined Limestone

FIRE

Solstice electric fire



63" LUDLOW PORTUGUESE LIMESTONE




FIREPLACE

63" Ludlow in Veined Limestone

FIRE

Equinox electric fire



PRINCETON PORTUGUESE LIMESTONE




FIREPLACE

Princeton in Veined Limestone
(With optional split hearth & granite heat plate)

FIRE

Ariel 5G multifuel stove



SOLSTICE BECKFORD PORTUGUESE LIMESTONE




FIREPLACE

Solstice Beckford in Veined Limestone

FIRE

Solstice electric fire



RUFFORD PORTUGUESE LIMESTONE



MANTEL

Rufford in Veined Limestone

INTERIOR


Monarch cast iron arch

FIRE

Bespoke coal effect gas fire

HEARTH

Polished Black Granite



VICTORIAN CLASSIC CHAMOT LIMESTONE



MANTEL

Victorian Classic in Chamot Limestone

INTERIOR


Honed Black Granite

FIRE

Brooklyn electric fire with Brushed Steel Contrast fascia

HEARTH

Honed Black Granite



WARWICK CHAMOT LIMESTONE



MANTEL

Warwick in Chamot Limestone

CHAMBER


Brown Cobble brick
(Shown in a Herringbone pattern)

FIRE

Staten electric fire

HEARTH & SLIPS

Chamot Limestone



WINDSOR CHAMOT LIMESTONE



FIREPLACE


Windsor in Chamot Limestone

CHAMBER

Brickyard Reclaimed brick

FIRE

Columbia gas stove





FIREPLACE


Boscombe in Sandstone

CHAMBER

Brickyard Reclaimed brick

FIRE

FDC 5 multifuel stove



NEWSTEAD SANDSTONE



MANTEL

Newstead in Sandstone

INTERIOR


Polished Black Granite

FIRE

Omega gas fire with Bauhaus fret

HEARTH

Polished Black Granite



SHELBY SANDSTONE



MANTEL

Shelby in Sandstone

INTERIOR


Monarch cast iron arch

FIRE

Bespoke coal effect gas fire

HEARTH

Polished Black Granite



BOLECTION NATURAL MARBLE



MANTEL


Bolection in Honed Grey Emperador Marble

INTERIOR

Brushed Steel Sophia Fascia

FIRE

Omega gas fire, Polished trim and Chrome Bauhaus fret



VICTORIAN CLASSIC NATURAL MARBLE



MANTEL

Victorian Classic in Honed Carrara Marble

INTERIOR


Byron cast iron plate

FIRE

Pulsar gas fire with Baltimore fret

HEARTH

Honed & oiled Slate



VICTORIAN CORBEL NATURAL MARBLE



MANTEL

Victorian Corbel in Honed Carrara Marble

INTERIOR


Polished Black Granite

FIRE

Ariel 5S multifuel stove

HEARTH

Polished Black Granite



BEDFORD NATURAL OAK



MANTEL

54" Bedford in Natural Oak
(Also available in 48" and Waxed Pine)

INTERIOR & CHAMBER

Ivory tiled & Cream Cobble brick

FIRE

FDC 4 multifuel stove

HEARTH

Ivory Tiled



LINCOLN NATURAL OAK



MANTEL

54" Lincoln in Natural Oak
(Also available in 48" and Waxed Pine)

INTERIOR & CHAMBER


Rustic Cobble brick with arch & returns

FIRE


FDC 5 multifuel stove

HEARTH


Honed & oiled Slate



STEEL HOBS & FASCIAS



SHAFTESBURY FASCIA




GEORGIAN FASCIA




GEORGIAN HOB



SHAFTESBURY HOB



SALISBURY FASCIA



AMESBURY FASCIA







AMESBURY HOB



SALISBURY HOB

STEEL HOBS & FASCIAS



CAST IRON ARCHES & FASCIAS



VICTORIA WITH DEEP BACK



MONARCH WITH BACK



BYRON



WANDSWORTH 16" WITH DEEP BACK
(AVAILABLE IN 14")




WANDSWORTH 14"
(AVAILABLE IN 16" WITH DEEP BACK)




SOPHIA


CAST IRON ARCHES & FASCIAS




VICTORIA




MONARCH




BYRON



VICTORIA - DEEP BACK



WANDSWORTH 14" - (16" - DEEP BACK)



SOPHIA

FIRE BASKETS



18" CROMWELL
455 W x 320 D x 180 H



16" CROMWELL
390 W x 280 D x 180 H



16", 18" & 21"
VALENCIA

16": 400 W x 335 D x 220 H
18": 470 W x 335 D x 220 H
21": 550 W x 335 D x 220 H



18" & 21" VALENCIA
with back

18": 470 W x 290 D x 475 H
21": 550 W x 290 D x 500 H



18" & 21" VALENCIA
with back & brass legs



QUEEN ANNE Polished
590 W x 285 D x 585 H



QUEEN ANNE
Polished with Brass legs
590 W x 285 D x 585 H



CASTLE Highlight
570 W x 280 D x 440 H



18", 24" & 30" SWAN'S NEST

18": 460 W x 305 D
24": 630 W x 350 D
30": 750 W x 335 D



GOTHIC fire dogs
250 W x 360 D x 490 / 180 H



REGENCY fire dogs
200 W x 360 D x 405 / 180 H



CELTIC fire dogs
140 W x 360 D x 515 / 180 H

CHAMBERS



COBBLE BROWN



COBBLE CREAM



COBBLE LAVENDER



COBBLE RECLAIMED



COBBLE RUSTIC



CHARCOAL SLATE



OYSTER SLATE



RUSTY SLATE



OLD RED STOCK



BRICKYARD RECLAIMED



COLUMBIA

- Constructed from heavy gauge mild steel with a cast iron door
- Large ceramic glass window
- Ceramic log fuel bed
- Heat output of up to 3.6 kW at 78% efficiency
- Available for use with natural gas or LPG
- Top or rear flue option (rear closure plate supplied)
- Suitable for class 1, class 2 and precast flues
- Manual control
- Extended 5 year warranty

COLUMBIA BF

- Constructed from heavy gauge mild steel with a cast iron door
- Large ceramic glass window
- Ceramic log fuel bed
- Heat output of up to 4.3 kW at 88% efficiency
- Available for use with natural gas or LPG
- No chimney required
- Balanced flue
- Remote control
- Extended 5 year warranty



GAS STOVE EFFICIENCIES

	Setting	Input	Net Efficiency	Output
Columbia (NATURAL GAS)	High	5.5 kW	78%	3.6 kW
Columbia (LPG)	High	5 kW	78%	3.6 kW
Columbia Balanced Flue (NATURAL GAS)	High	5.54 kW	88%	4.35 kW
Columbia Balanced Flue (LPG)	High	4.9 kW	88%	3.9 kW

A gas fire is a technical piece of equipment and, just like a gas boiler, requires servicing. It is essential that you have your gas fire serviced annually by a GAS SAFE REGISTER installer.

All FDC (UK) Ltd. gas fires carry a 12 month warranty from the date of installation. Please ensure that you complete and return the warranty registration page in the back of the instruction manual.

The Columbia gas stoves have an extended 5 year warranty which is validated by either returning the enclosed warranty card or registering the appliance online. Other terms and conditions apply.

Please note that the ceramic fuel bed, fire box liners and glass are not covered by the warranty, however, spares are available from your retailer.

ELECTRIC FIRES



BROOKLYN

- Features 3D Ecoflame™ flame effect technology
- Choice of coal, glass pebble or log fuel beds
- Choice of four flame effects
- Two heat settings, 750W & 1500W
- Suitable for a flat wall installation using a 3" rebated fireplace or surround
- Multifunctional remote control
- Manual over ride buttons
- Thermostat and timer as standard

STATEN

- Constructed from heavy gauge mild steel with a cast iron door
- Large picture window
- Features 3D Ecoflame™ flame effect technology
- Realistic log fuel bed
- Choice of four flame effects
- Two heat settings, 1000W & 2000W
- Multifunctional remote control
- Manual over ride buttons
- Thermostat and timer as standard
- Extended 3 year warranty




SOLSTICE

- Features 3D Ecoflame™ flame effect technology
- Realistic log fuel bed
- Choice of four flame effects
- Two heat settings, 1000W & 2000W
- Manual over ride buttons
- Thermostat and timer as standard


EQUINOX

- Features 3D Ecoflame™ flame effect technology
- Realistic log fuel bed
- Choice of four flame effects
- Two heat settings, 1000W & 2000W
- Manual over ride buttons
- Thermostat and timer as standard







COLUMBIA




COLUMBIA BF




STATEN



BROOKLYN



SOLSTICE



EQUINOX

APPLIANCE DATA

Supply Voltage AC 220-240V 50Hz
Output 1000W / 2000W

APPLIANCE DATA

Supply Voltage AC 220-240V 50Hz
Output 750W / 1500W

APPLIANCE DATA

Supply Voltage AC 220-240V 50Hz
Output 1000W / 2000W

APPLIANCE DATA

Supply Voltage AC 220-240V 50Hz
Output 1000W / 2000W

MULTIFUEL STOVES



FDC 4

- Extended 5 Year Warranty
- 4kW output
- Clean burn technology incorporating the Tti tertiary airwash system
- Large ceramic glass window
- External rotary grate riddling system
- Efficiency - 77.8% wood
- Efficiency - 82.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth (If burning smokeless fuel the hearth heat shield, supplied and fitted as standard, must remain in place)
- Accepts up to 12" logs



FDC 5

- Extended 5 Year Warranty
- 5kW output
- Clean burn technology incorporating the Tti tertiary airwash system
- Large ceramic glass window
- External rotary grate riddling system
- Efficiency - 81.5% wood
- Efficiency - 82.1% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas (Air limiter bracket must be fitted)
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth (If burning smokeless fuel the hearth heat shield, supplied and fitted as standard, must remain in place)
- Accepts up to 12" logs




FDC 5W

- Extended 5 Year Warranty
- 5kW output
- Clean burn technology incorporating the Tti tertiary airwash system
- Exceptionally large ceramic glass window
- External rotary grate riddling system
- Efficiency - 79.0% wood
- Efficiency - 75.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas (Air limiter bracket must be fitted)
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth (If burning smokeless fuel the hearth heat shield, supplied and fitted as standard, must remain in place)
- Accepts up to 15" logs






FDC 8




- Extended 5 Year Warranty
- 8kW output
- Clean burn technology incorporating the Tti tertiary airwash system
- Exceptionally large ceramic glass window
- External rotary grate riddling system
- Efficiency - 78.6% wood
- Efficiency - 81.0% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas (Air limiter bracket must be fitted)
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth (If burning smokeless fuel the hearth heat shield, supplied and fitted as standard, must remain in place)
- Accepts up to 15" logs






**FDC 4 kW
FREESTANDING STOVE
DIMENSIONS**
Approx. weight 40kg





**FDC 5 kW
FREESTANDING STOVE
DIMENSIONS**
Approx. weight 63kg



**FDC 5 kW WIDE
FREESTANDING STOVE
DIMENSIONS**
Approx. weight 69kg



**FDC 8 kW
FREESTANDING STOVE
DIMENSIONS**
Approx. weight 78kg



CASSETTE STOVES




ARIEL 5



- Extended 5 year warranty
- 5kW output
- Clean burn tertiary airwash system
- Efficiency – 80.0% wood
- Efficiency – 83.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas (Air limiter bracket must be fitted)
- Simple flue connection via the internally removable top outlet spigot
- 5" liner compatible (additional adapter required)
- Optional cast iron multifuel kit available – protects liners and reduces internal volume when burning smokeless fuel.
- Choice of steel (S) or glass (G) finish
- Three and four sided frame option
- Accepts up to 11" logs

CALYPSO 5


- Extended 5 year warranty
- 5kW output
- Clean burn tertiary airwash system
- Efficiency – 79.5% wood
- Efficiency – 83.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas
- Simple flue connection via the internally removable top outlet spigot
- 5" liner compatible (additional adapter required)
- Optional cast iron multifuel kit available – protects liners and reduces internal volume when burning smokeless fuel.
- Choice of steel (S) or glass (G) finish
- Three and four sided frame option
- Accepts up to 15" logs



**ARIEL 5
INSET STOVE
DIMENSIONS**
Approx. weight 68kg



**CALYPSO 5
INSET STOVE
DIMENSIONS**
Approx. weight 85kg



TILETEC BESPOKE DESIGN SERVICE



Using the latest 3D design software, combined with years of experience working with fireplaces, we offer a completely bespoke design service.

From simply changing the size or material of one of our standard models to suit your home, to a completely original design of your own choosing, we will work closely with your retailer/installer to ensure you get exactly what you want.

We stock an extensive library of material samples for you to browse and once you have made your choice we will produce detailed working drawings of your ideas for your approval.

Quality is paramount and we use only the most experienced and skilled stonemasons, combining traditional techniques with modern innovations, to bring your ideas to life.

The result? Flawless, original fireplaces and mantelpieces.

DIMENSIONS

ABINGDON	
Shelf:	1320 x 210 x 50
Hearth:	1320 x 410 x 50 SOLID
Back Hearth:	900 x 380 x 30
Height (inc hearth):	1110
Mantel Opening:	810 wide x 810 high
Across Legs:	1210
Leg Depth:	140
Rebate:	80

ARLINGTON	
Shelf:	1380 x 95
Hearth:	N/A
Height:	1145
Mantel Opening:	910 wide x 910 high
Across Legs:	1380
Leg Depth:	95
Rebate:	30

ARUNDEL	
Shelf:	1405 x 215 x 60
Hearth:	N/A
Height:	1235
Mantel Opening:	915 wide x 915 high
Across Legs:	1235
Leg Depth:	160
Rebate:	75

54" ASCOT	
Shelf:	1370 x 225 x 70
Hearth:	N/A
Height:	1150
Mantel Opening:	870 wide x 890 high
Across Legs:	1230
Leg Depth:	155
Rebate:	25 or 75 (please specify)

57" ASCOT	
Shelf:	1445 x 225 x 70
Hearth:	N/A
Height:	1175
Mantel Opening:	905 wide x 915 high
Across Legs:	1305
Leg Depth:	155
Rebate:	25 or 75 (please specify)

BAVERSTOCK	
Shelf:	1370 x 200 x 65
Hearth:	N/A
Height:	1165
Mantel Opening:	910 wide x 910 high
Across Legs:	1255
Leg Depth:	135
Rebate:	75

BECKFORD in Aegean Limestone	
Shelf:	1220 x 180 x 30
Hearth:	N/A
Height:	970
Mantel Opening:	760 wide x 760 high
Across Legs:	1120
Leg Depth:	125
Rebate:	75

BECKFORD in Portuguese Limestone	
Shelf:	1220 x 180 x 50
Hearth:	1220 x 410 x 50 SOLID SQUARE
Height (inc hearth):	1040
Mantel Opening:	760 wide x 760 high
Across Legs:	1120
Leg Depth:	125
Rebate:	35 or 75 (please specify)

48" BEDFORD	
Shelf:	1220 x 215 x 32
Hearth:	N/A
Height:	1180
Mantel Opening:	865 wide x 915 high
Across Legs:	1145
Leg Depth:	150
Rebate:	25 / 75

54" BEDFORD	
Shelf:	1370 x 215 x 32
Hearth:	N/A
Height:	1195
Mantel Opening:	915 wide x 915 high
Across Legs:	1260
Leg Depth:	150
Rebate:	25 / 75

54" BLENHEIM in Aegean Limestone	
Shelf:	1370 x 210 x 80
Hearth:	N/A
Height:	1145
Mantel Opening:	830 wide x 890 high
Across Legs:	1200
Leg Depth:	140
Rebate:	30

60" BLENHEIM	
Shelf:	1520 x 235 x 110
Hearth:	N/A
Height:	1220
Mantel Opening:	890 wide x 910 high
Across Legs:	1300
Leg Depth:	145
Rebate:	30

BOLECTION	
Shelf:	1280 x 115
Hearth:	N/A
Height:	1095
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

BOLECTION WITH SHELF	
Shelf:	1460 x 205 x 105
Hearth:	N/A
Height:	1200
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

BOSCOMBE	
Shelf:	1370 x 200 x 50
Hearth:	1370 x 410 x 50 SOLID
Back Hearth:	900 x 380 x 30
Height (inc hearth):	1110
Mantel Opening:	840 wide x 700 / 820 high
Stove Opening	740 wide x 700 / 770 high
Across Legs:	1250
Leg Depth:	125
Rebate:	35

COMPTON	
Shelf:	1120 x 200 x 60
Hearth:	1120 x 380 x 60 B&L SQUARE
Height (inc hearth):	980
Mantel Opening:	620 wide x 670 high
Across Legs:	1000
Leg Depth:	140
Rebate:	75

EDWARDIAN CORBEL	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1345 (adj)
Leg Depth:	140
Rebate:	75

EPSOM	
Shelf:	1420 x 215 x 30
Hearth:	N/A
Height:	1140
Mantel Opening:	890 wide x 890 high
Across Legs:	1250
Leg Depth:	130
Rebate:	25 or 75 (please specify)

DIMENSIONS

EQUINOX BOLECTION

Shelf:	1370 x 180 x 55
Hearth:	1370 x 380 x 30
Height (inc hearth):	1060
Mantel Opening:	910 wide x 790 high
Across Legs:	1280
Leg Depth:	145
Rebate:	25

FLAT VICTORIAN

Shelf:	1370 x 200 x 30
Hearth:	N/A
Height:	1125
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1275 (adj)
Leg Depth:	145
Rebate:	75

GALILEO

Shelf:	1290 x 210 x 70
Hearth:	1290 x 380 x 30
Height (inc hearth):	1095
Mantel Opening:	800 wide x 800 high
Across Legs:	1160
Leg Depth:	145
Rebate:	75

48" LANGFORD

Shelf:	1220 x 185 x 60
Hearth:	1220 x 410 x 60 SOLID
Back Hearth:	760 x 410 x 30
Height (inc hearth):	1060
Mantel Opening:	760 wide x 735 / 785 high
Stove Opening	660 wide x 690 / 730 high
Across Legs:	1120
Leg Depth:	120
Rebate:	35

54" LANGFORD

Shelf:	1370 x 185 x 60
Hearth:	1370 x 410 x 60 SOLID
Back Hearth:	900 x 410 x 30
Height (inc hearth):	1110
Mantel Opening:	810 wide x 785 / 835 high
Stove Opening	670 wide x 725 / 765 high
Across Legs:	1270
Leg Depth:	120
Rebate:	35

60" LANGFORD

Shelf:	1530 x 205 x 60
Hearth:	1530 x 410 x 60 SOLID
Back Hearth:	1000 x 410 x 30
Height (inc hearth):	1220
Mantel Opening:	900 wide x 850 / 900 high
Stove Opening	760 wide x 790 / 830 high
Across Legs:	1380
Leg Depth:	140
Rebate:	35

48" LINCOLN

Shelf:	1220 x 180 x 32
Hearth:	N/A
Height:	1130
Mantel Opening:	840 wide x 890 high
Across Legs:	1145
Leg Depth:	115
Rebate:	25 / 75

54" LINCOLN

Shelf:	1370 x 180 x 32
Hearth:	N/A
Height:	1155
Mantel Opening:	915 wide x 915 high
Across Legs:	1245
Leg Depth:	115
Rebate:	25 / 75

54" LUDLOW

Shelf:	1370 x 200 x 60
Hearth:	1370 x 410 x 50 SOLID
Height (inc hearth):	1095
Mantel Opening:	810 wide x 775 high
Across Legs:	1230
Leg Depth:	140
Rebate:	35

63" LUDLOW	
Shelf:	1600 x 200 x 60
Hearth:	1600 x 460 x 50 SOLID
Height (inc hearth):	1095
Mantel Opening:	1060 wide x 775 high
Across Legs:	1480
Leg Depth:	140
Rebate:	35

NEWSTEAD	
Shelf:	1370 x 205 x 105
Hearth:	N/A
Height:	1265
Mantel Opening:	910 wide x 910 high
Across Legs:	1210
Leg Depth:	150
Rebate:	30

PRINCETON	
Shelf:	1370 x 190 x 60
Hearth:	1370 x 410 x 60 SOLID WITH BEVEL
Height (inc hearth):	1090
Mantel Opening:	890 wide x 790 high
Across Legs:	1250
Leg Depth:	120
Rebate:	35

REGENCY	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1120
Mantel Opening:	895 wide x 915 high
Across Legs:	1305
Leg Depth:	170
Rebate:	75

RUFFORD	
Shelf:	1370 x 230 x 50
Hearth:	N/A
Height:	1130
Mantel Opening:	800 wide x 880 high
Across Legs:	1200
Leg Depth:	150
Rebate:	25

RUTLAND	
Shelf:	1475 x 210 x 55
Hearth:	N/A
Height:	1120
Mantel Opening:	820 wide x 705 / 840 high
Across Legs:	1360
Leg Depth:	150
Rebate:	30

51" SHELBY	
Shelf:	1295 x 200 x 50
Hearth:	N/A
Height:	1140
Mantel Opening:	835 wide x 865 high
Across Legs:	1195
Leg Depth:	145
Rebate:	75

54" SHELBY	
Shelf:	1370 x 200 x 50
Hearth:	N/A
Height:	1140
Mantel Opening:	865 wide x 865 High
Across Legs:	1270
Leg Depth:	145
Rebate:	75

SOLSTICE BECKFORD	
Shelf:	1220 x 180 x 30
Hearth:	1220 x 380 x 50 FLUSH BOXED
Height (inc hearth):	1020
Mantel Opening:	760 wide x 760 high
Across Legs:	1120
Leg Depth:	125
Rebate:	75

DIMENSIONS

42" VICTORIAN CLASSIC

Shelf:	1067 x 203 x 30
Hearth:	N/A
Height:	1067
Mantel Opening:	711 (adj) wide x 851 high
Across Legs:	1015 (adj)
Leg Depth:	152
Rebate:	25 or 75 (please specify)

48" VICTORIAN CLASSIC

Shelf:	1220 x 200 x 30
Hearth:	N/A
Height:	1075
Mantel Opening:	840 (adj) wide x 890 high
Across Legs:	1140 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

51" VICTORIAN CLASSIC

Shelf:	1295 x 200 x 30
Hearth:	N/A
Height:	1075
Mantel Opening:	890 (adj) wide x 890 high
Across Legs:	1250 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

54" VICTORIAN CLASSIC

Shelf:	1370 x 200 x 30
Hearth:	N/A
Height:	1100
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1295 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

56" VICTORIAN CLASSIC

Shelf:	1420 x 200 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1335 (adj)
Leg Depth:	150
Rebate:	75

60" VICTORIAN CLASSIC

Shelf:	1520 x 200 x 30
Hearth:	N/A
Height:	1165
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1385 (adj)
Leg Depth:	150
Rebate:	75

VICTORIAN CORBEL

Shelf:	1420 x 250 x 30
Hearth:	N/A
Height:	1160
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1325 (adj)
Leg Depth:	150
Rebate:	75

WARWICK

Shelf:	1370 x 200 x 30
Hearth:	N/A
Height:	1155
Mantel Opening:	865 wide x 865 / 915 high
Across Legs:	1265
Leg Depth:	135
Rebate:	75

WINDSOR

Shelf:	1370 x 190 x 70
Hearth:	1370 x 410 x 60 FLUSHED BOXED
Back Hearth:	900 x 400 x 30
Height (inc hearth):	1210
Mantel Opening:	870 wide x 900 high
Stove Slip Opening:	720 wide x 800 high
Across Legs:	1230
Leg Depth:	120
Rebate:	35

INSTALLATION

Having a new fireplace installed is a major project and it is advisable to prepare yourself as well as possible. Please ensure your chosen fireplace will physically fit your chimney breast and that it is compatible with the intended heating appliance. The best way to confirm this will be to organise a home survey with the retailer or your installer prior to purchase.

All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, paying particular attention to Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations. For gas installations, the most recognised independent body is GAS SAFE REGISTER and for solid fuel installations it is HETAS. It is essential to confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace installed by a GAS SAFE REGISTER (gas) or HETAS (solid fuel) registered fitter you will be given a certificate stating that your installation has been carried out in accordance with Building Regulations. If you do not have one of these certificates you will have to arrange for your local Building Control Officer to inspect and approve your installation.

PRODUCT SPECIFICATION

Tile Tec Ltd has a continuous research and development programme which may necessitate changes to sizes and specifications without prior notification. If any size is critical this should be made clear to your retailer at point of order.

THE TILE TEC PLEDGE

You can purchase any of the products shown in this brochure with total confidence. In the unlikely event that there is a defect discovered on unpacking, a replacement part will be supplied without hesitation.

Of course, this requires the products to be fully inspected prior to installation as no responsibility for refitting or redecoration can be accepted if defective products have been installed or products have been damaged during installation. In these cases and in the case of accidental damage after installation, in-situ repairs might be possible. Please refer to your retailer for further information.

MATERIAL SPECIFICATION

All the fireplaces in this brochure are hand finished. As such, all measurements are approximate and may vary slightly from those published. If any size is critical this should be made clear to your retailer at point of order.

All the fireplaces are manufactured from natural materials and colour and veining variation can occur from photographs, printed material and any showroom displays that relate to these products. Any variation is outside our control and cannot be regarded as faulty or substandard. Due to the nature of the materials used in construction of these fireplaces it may be necessary to reinforce or use suitable filler to eliminate brecciation in the material.

AEGEAN LIMESTONE

Also known as Turkish limestone this off-white material is fine grained and infused with thousands of minute fossils. During the manufacturing process many of these become loosened resulting in 'pitting' across the material surface. This is a characteristic of the material and adds to the natural beauty of the product.

PORTUGUESE LIMESTONE

A light cream coloured material fused over millions of years, it contains skeletal fragments of marine organisms resulting in natural veining and fossils throughout. Cool to the touch and with a matt finish, this attractive material remains one of our most popular. We have selected three different variants of this stone giving a comprehensive choice of styles and finishes.

SEMI RIJO: This is sawn parallel to the natural vein in the stone resulting in a subtle linear pattern running horizontally across the fireplace. Small fossils will also be present.

ROSAL: This is specially selected and contains far less fossils and veins resulting in a much clearer material. It is cross sawn and has a cloudy, more granular appearance when finished.

TEXTURED: Taken from the top layer of the quarries, this stone is composed of a mixture of hard and soft materials. Once extracted it is sawn and worked in the same way as Semi Rijo but is then finished with diamond tipped brushes which remove the softer material to create a smooth yet textured surface finish not unlike the skin of an orange.

CHAMOT LIMESTONE

This French stone is a hard, dense limestone containing many small fossils and veins. It is a slightly darker shade of cream when compared to our Portuguese limestone and is cross sawn and honed giving it a truly unique and distinctive appearance.

SANDSTONE

A sedimentary rock composed mainly of sand-sized minerals or rock grains. This material is of a softer density and requires a more considered approach when handling during installation. A natural textured finish gives this material its solid, earthy appearance.

NATURAL MARBLE

There are so many natural marbles available that it would prove prohibitive to feature them all in one brochure. For this reason we have chosen a small selection that have proved popular over the years.

CARRARA: Also known as Statuary marble, its dense composition has made it desirable to sculptors for hundreds of years. The background colour ranges from white through to blue-grey and it is then characterised by a network of darker grey veins running throughout the material. It is stocked in the more traditional honed finish however can be supplied polished to special order.

EGYPTIAN CRÈME MARBLE: With warm colours and striking patterns this material will compliment any interior style. A feature of this marble is its distinctive fossil content, making each fireplace truly individual. Any inclusions or brecciation in the material will be stopped, filled and polished prior to manufacture.

EMPERADOR: Originating from Turkey we feature both the brown and grey versions of this material however a darker brown version is also available. It is characterised by a network of light coloured veins running throughout the background colour giving the appearance of crazing. It is equally attractive in both honed and polished finishes.

BLACK GRANITE: This is a very dense, hard wearing igneous rock with a high resistance to scratching and staining. Due to its crystalline structure granite can be highly polished to a consistent colour and deep lustre and the resulting fireplaces are truly opulent.

CAST IRON

All the cast iron products are delivered with a protective, oil-based coating on polished surfaces. This should be cleaned off after installation and it is recommended that a spray-type oil is applied to these areas on a regular basis to avoid surface rust forming. Under no circumstances should a water-based cleaner or polish be used to clean cast iron products. Polished surfaces will undergo thermal

discolouration during normal use and this is to be expected. High temperature black paint is used inside the fire chamber and will burn off over a period of time. High temperature touch up paint is available from your retailer if required. Ash build up beneath the fire will cause the grate to burn out quickly. The grate and back brick (if present), are consumable parts of your fire and will need replacing from time to time. Due to the nature of cast iron it is vital that all fireplaces undergo a period of 'burning-in'. This involves lighting small fires initially, gradually increasing in size with each subsequent firing.

BRUSHED STEEL FASCIAS

These products are susceptible to rusting if they come into contact with moisture. This can be direct or carried in the atmosphere (such as a recently plastered room). They are supplied with a protective film that inhibits rust formation, however immediately after installation they should be wiped down with a lint free cloth and spray-type oil. We recommend this process is repeated on a regular basis. Should small areas of surface rust appear they can be removed using extra fine grade wire wool and WD40.



BLISS STOVES AND SURROUNDS

This brochure features our complete range of multifuel and wood burning stoves pictured with a selection of fireplaces taken from our collection.

Offering a choice of traditional freestanding models and more contemporary designs, you are sure to find the perfect stove for your home in this brochure.

When correctly installed and maintained, any FDC stove will give many years of reliable service, bringing pleasure and warmth to your home in a way that only a real fire can.



BLISS MICROMARBLE FIREPLACES

This brochure showcases our current range of micromarble fireplaces and surrounds in a selection of different materials.

Whether you choose a complete suite requiring only the addition of a gas or electric fire to complete your fireplace or an individual mantel piece that can be combined with a selection of interiors and hearths, our aim is to offer a fireplace to suit all tastes and budgets.

Micromarble is an ideal material for customers looking for a fireplace or mantel piece with a consistent colour and finish, free from natural markings and fossils.



- NATURAL COLLECTION -

www.tiletec.co.uk